

# Datavideo Product Compare

<https://www.datavideo.cn/>

|           |  |
|-----------|--|
| 型号        | <b>TP-950</b>  |
| Product   | 平板电脑式PTZ云台摄像机提词器   |
| 兼容平台      | ios[]安卓系统平板电脑设备  |
| 摄像机固定方式   | 可调式快装板   |
| 支持平板/手机尺寸 | 145 mm (最小平板宽度)<br>265 mm (最大平板宽度)                                   |
| 系统支持语言    | 简体中文<br>繁体中文<br>English<br>Dutch<br>Spanish<br>Portuguese<br>Russian |
| 提词器尺寸     | 宽度: 535mm<br>高度: 590mm<br>深度: 350mm                                  |
| 液晶屏分辨率    | N/A  |
| 液晶屏亮度     | N/A  |
| 远程控制      | * 可通过局域网进行同步控制<br>* 可选WR-500蓝牙遥控器                                    |
| 包装尺寸      |  |
| 重量        | 净重: 10.3公斤<br>总重: 13.3公斤   |
| 操作温度      | 0~40摄氏度  |
| 电源        | 12V 直流电源适配器  |

包装明细

1 x 15" LCD Control Unit  
1 x 12V universal Mains PSU  
1 x USB Mouse  
1 x 5m Ethernet Cable  
1 x 3.5mm input adapter for WR-500 remote control  
1 x TP-950 metal base tray with tripod plate  
1 x 150 x 150 PTZ Scissor Lift  
1 x Cloth Hood  
1 x M4 CRV hex tool  
1 x 9mm long ¼ thumb screw with red dot  
1 x 9mm long ¼ thumb screw with washers  
8 x M6\*40mm screws  
10 x M6\*14mm screws  
1 x 16mm long screw  
1 x 3/8 to ¼ adapter  
4 x 565mm Vertical extrusions  
2 x 475mm horizontal extrusions with 90 degree joining blocks  
2 x 325mm glass support extrusions with single end caps  
2 x 250mm PTZ lift extrusions with both end caps  
1 x 70/30 mirror glass  
1 x Glass support bar  
2 x Spare black extrusion end caps  
2 x Spare M6\*14mm screws  
2 x 12V regulated DTap cable  
1 x Small CRV hex tool to remove the tripod plate from item F  
1 x Medium CRV hex tool to remove 90 degree joining blocks from item Q1 x 15" LCD Control Unit  
1 x 12V universal Mains PSU  
1 x USB Mouse  
1 x 5m Ethernet Cable  
1 x 3.5mm input adapter for WR-500 remote control  
1 x TP-950 metal base tray with tripod plate  
1 x 150 x 150 PTZ Scissor Lift  
1 x Cloth Hood  
1 x M4 CRV hex tool  
1 x 9mm long ¼ thumb screw with red dot  
1 x 9mm long ¼ thumb screw with washers  
8 x M6\*40mm screws  
10 x M6\*14mm screws  
1 x 16mm long screw  
1 x 3/8 to ¼ adapter  
4 x 565mm Vertical extrusions  
2 x 475mm horizontal extrusions with 90 degree joining blocks  
2 x 325mm glass support extrusions with single end caps  
2 x 250mm PTZ lift extrusions with both end caps  
1 x 70/30 mirror glass  
1 x Glass support bar  
2 x Spare black extrusion end caps  
2 x Spare M6\*14mm screws  
2 x 12V regulated DTap cable  
1 x Small CRV hex tool to remove the tripod plate from item F  
1 x Medium CRV hex tool to remove 90 degree joining blocks from item Q

